



Control Mucin Sample

Figure 1




Interaction of Naproxen Formulations with Mucin

Figure 2A



Naproxen + PVP (k29/32)

Figure 2B



Naproxen + PMMTMABr

Control Hair Sample

Figure 3A





Figure 3B



Interaction of Naproxen Formulations with Hair

Figure 4A




Figure 4B



Naproxen + PMMTMABr

Interaction of Naproxen Formulations with Hair

Figure 5A





Figure 5B



Naproxen + PVP (k29/32)

Control Plant Sample

Figure 6A




Figure 6B



Interaction of Naproxen Formulations with Plant Tissue

Figure 7A




Figure 7B



Naproxen + PMMTMABr

Interaction of Naproxen Formulations with Plant Tissue

Figure 8A





Figure 8B



Naproxen + PVP (k29/32)


Interaction of Cyclosporin Formulations with Mucin

Figure 9A



Cyclosporin + F88 + SLS

Figure 9B



Cyclosporin + F88 + HDMAAB

Interaction of Cyclosporin Formulations with Hair

Figure 10A





Figure 10B



Cyclosporin + F88 + HDMAB

Interaction of Cyclosporin Formulations with Hair

Figure 11A






Figure 11B



Cyclosporin + F88 + SLS


Interaction of Cyclosporin Formulations with Plant Tissue

Figure 12A



Cyclosporin + F88 + SLS


Figure 12B



Cyclosporin + F88 + HDMAB


Interaction of TA Formulations with Mucin

Figure 13A



TA + HPC-sl + SLS

Figure 13B



TA + HPC-sl + BKC

Interaction of TA Formulations with Hair

Figure 14A





Figure 14B



TA + HPC-sI + SLS

Interaction of TA Formulations with Hair

Figure 15A





Figure 15B



TA + HPC-sI + BKC

Control Human Allograft Sample

Figure 16A




Figure 16B




Interaction of WIN68209 Formulations with Allograft Skin

Figure 17A



Figure 17B




WIN68209 + F108

Interaction of WIN68209 Formulations with Allograft Skin

Figure 18A



Figure 18B



WIN68209 + PVPDMAEM

Interaction of Unmilled Naproxen (22 μ m) with Mucin Surface

Figure 19A





Figure 19B



Naproxen + PMMTMABr

Naproxen + PVP (k29/32)

Interaction of Unmilled Naproxen (22 μ m) with Human Hair

Figure 20A





Figure 20B



Naproxen + PMMTMABr

Interaction of Unmilled Naproxen (22 μ m) with Human Hair

Figure 21A





Figure 21B



Naproxen + PVP (k29/32)

Interaction of Unmilled Naproxen (22 μ m) with Plant Tissue

Figure 22A



Naproxen + PMMTMABr


Figure 22B



Naproxen + PVP (k29/32)


Interaction of Micronized Naproxen (6µm) with Mucin Surface

Figure 23A



Naproxen + PMMTMABr

Figure 23B



Naproxen + PVP (k29/32)

Interaction of Micronized Naproxen (6µm) with Human Hair

Figure 24A





Figure 24B



Naproxen + PMMTMABr

Interaction of Micronized Naproxen (6 μ m) with Human Hair

Figure 25A






Figure 25B



Naproxen + PVP (k29/32)


Interaction of Micronized Naproxen (6µm) with Plant Tissue

Figure 26A



Naproxen + PMMTMAr

Figure 26B



Naproxen + PVP (k29/32)